



MAXUS

eDeliver 9



EURO NCAP



GOLD 2024



VAN FWD N1 3.5T

VERSION	L2H2	
	77 kWh	88 kWh
DIMENSIONS		
Seating	3	3
Slide door	Single/Dual	Single/Dual
Overall length (mm)	5546	5546
Overall width without mirrors (mm)	2062	2062
Overall height (mm)	2515	2515
Wheelbase (mm)	3366	3366
Maximum load volume (with bulkhead) (cu.m)	9.7	9.7
WEIGHTS AND PAYLOAD		
GVM (kg)	3500	3500
Min.kerb mass (kg)*	2460	2530
Max.gross payload (kg)	1040	970
GTM (kg)	4250	4250
Max.towing (Braked/Unbraked) (kg)	1500/750	1500/750
PERFORMANCE AND STEERING		
Peak power (kW)	150	150
Peak torque (Nm)	330	330
Max.speed (km/h)	100	100
Min.turning circle (m)	13.4	13.4
BATTERY AND CHARGING		
Battery energy (kWh)	77	88
WLTP Combined Range (km)**	276~304	315~347
WLTP City Range (km)**	369~407	414~457
Onboard charger (kW)***	11/22	11/22
5-100% AC charging-Onboard charger 3-phase tethered (hrs)***	8.5/4.5	9.3/5.2
High-powered DC charger (kW)***	78	90
10-80% DC charging (mins)***	51	51
WHEELS AND TYRES		
Wheels	16-inch alloy wheel	16-inch alloy wheel
Tyres	215/75R16	215/75R16

VAN FWD N1 3.5T

VERSION	L3H2	
	77 kWh	88 kWh
DIMENSIONS		
Seating	3	3
Slide door	Single/Dual	Single/Dual
Overall length (mm)	5940	5940
Overall width without mirrors (mm)	2062	2062
Overall height (mm)	2515	2515
Wheelbase (mm)	3760	3760
Maximum load volume (with bulkhead) (cu.m)	11	11
WEIGHTS AND PAYLOAD		
GVM (kg)	3500	3500
Min.kerb mass (kg)*	2520	2590
Max.gross payload (kg)	980	910
GTM (kg)	4250	4250
Max.towing (Braked/Unbraked) (kg)	1500/750	1500/750
PERFORMANCE AND STEERING		
Peak power (kW)	150	150
Peak torque (Nm)	330	330
Max.speed (km/h)	100	100
Min.turning circle (m)	14.8	14.8
BATTERY AND CHARGING		
Battery energy (kWh)	77	88
WLTP Combined Range (km)**	274~303	312~345
WLTP City Range (km)**	358~399	411~454
Onboard charger (kW)***	11/22	11/22
5-100% AC charging-Onboard charger 3-phase tethered (hrs)***	8.5/4.5	9.3/5.2
High-powered DC charger (kW)***	78	90
10-80% DC charging (mins)***	51	51
WHEELS AND TYRES		
Wheels	16-inch alloy wheel	16-inch alloy wheel
Tyres	215/75R16	215/75R16

VAN FWD N1 3.5T

VERSION	L3H3	
	77 kWh	88 kWh
DIMENSIONS		
Seating	3	3
Slide door	Single/Dual	Single/Dual
Overall length (mm)	5940	5940
Overall width without mirrors (mm)	2062	2062
Overall height (mm)	2730	2730
Wheelbase (mm)	3760	3760
Maximum load volume (with bulkhead) (cu.m)	12.3	12.3
WEIGHTS AND PAYLOAD		
GVM (kg)	3500	3500
Min.kerb mass (kg)*	2580	2650
Max.gross payload (kg)	920	850
GTM (kg)	4250	4250
Max.towing (Braked/Unbraked) (kg)	1500/750	1400/750
PERFORMANCE AND STEERING		
Peak power (kW)	150	150
Peak torque (Nm)	330	330
Max.speed (km/h)	100	100
Min.turning circle (m)	14.8	14.8
BATTERY AND CHARGING		
Battery energy (kWh)	77	88
WLTP Combined Range (km)**	268~296	307~341
WLTP City Range (km)**	325~363	404~450
Onboard charger (kW)***	11/22	11/22
5-100% AC charging-Onboard charger 3-phase tethered (hrs)***	8.5/4.5	9.3/5.2
High-powered DC charger (kW)***	78	90
10-80% DC charging (mins)***	51	51
WHEELS AND TYRES		
Wheels	16-inch alloy wheel	16-inch alloy wheel
Tyres	215/75R16	215/75R16

DOUBLE CAB-IN-VAN FWD N1 3.5T

VERSION	L3H2	L3H3
	77 kWh	77 kWh
DIMENSIONS		
Seating	7	7
Slide door	Single	Single
Overall length (mm)	5940	5940
Overall width without mirrors (mm)	2062	2062
Overall height (mm)	2515	2730
Wheelbase (mm)	3760	3760
Maximum load volume (with bulkhead) (cu.m)	7.1	7.8
WEIGHTS AND PAYLOAD		
GVM (kg)	3500	3500
Min.kerb mass (kg)*	2645	2695
Max.gross payload (kg)	855	805
GTM (kg)	4250	4250
Max.towing (Braked/Unbraked) (kg)	1400/750	1400/750
PERFORMANCE AND STEERING		
Peak power (kW)	150	150
Peak torque (Nm)	330	330
Max.speed (km/h)	100	100
Min.turning circle (m)	14.8	14.8
BATTERY AND CHARGING		
Battery energy (kWh)	77	77
WLTP Combined Range (km)**	269~296	264~291
WLTP City Range (km)**	331~364	301~331
Onboard charger (kW)***	11/22	11/22
5-100% AC charging-Onboard charger 3-phase tethered (hrs)***	8.5/4.5	8.5/4.5
High-powered DC charger (kW)***	78	78
10-80% DC charging (mins)***	51	51
WHEELS AND TYRES		
Wheels	16-inch alloy wheel	16-inch alloy wheel
Tyres	215/75R16	215/75R16

SINGLE CHASSIS CAB FWD N1 3.5T

VERSION	L3H0	
	77 kWh	88 kWh
DIMENSIONS		
Seating	3	3
Overall length (mm)	6200	6200
Overall width without mirrors (mm)	2052	2052
Overall height (mm)	2310	2310
Wheelbase (mm)	3760	3760
WEIGHTS AND PAYLOAD		
GVM (kg)	3500	3500
Min.kerb mass (kg)*	2155	2215
Max.gross payload (kg)	1345	1285
GTM (kg)	4250	4250
Max.towing (Braked/Unbraked) (kg)	1500/750	1500/750
PERFORMANCE AND STEERING		
Peak power (kW)	150	150
Peak torque (Nm)	330	330
Max.speed (km/h)	100	100
Min.turning circle (m)	14.8	14.8
BATTERY AND CHARGING		
Battery energy (kWh)	77	88
WLTP Combined Range (km)**	189~288	214~339
WLTP City Range (km)**	291~403	366~483
Onboard charger (kW)***	11/22	11/22
5-100% AC charging-Onboard charger 3-phase tethered (hrs)***	8.5/4.5	9.3/5.2
High-powered DC charger (kW)***	78	90
10-80% DC charging (mins)***	51	51
WHEELS AND TYRES		
Wheels	16-inch alloy wheel	16-inch alloy wheel
Tyres	215/75R16	215/75R16

SINGLE CHASSIS CAB FWD N1 3.5T

VERSION	L4H0	
	77 kWh	88 kWh
DIMENSIONS		
Seating	3	3
Overall length (mm)	6680	6680
Overall width without mirrors (mm)	2052	2052
Overall height (mm)	2310	2310
Wheelbase (mm)	4048	4048
WEIGHTS AND PAYLOAD		
GVM (kg)	3500	3500
Min.kerb mass (kg)*	2165	2225
Max.gross payload (kg)	1335	1275
GTM (kg)	4250	4250
Max.towing (Braked/Unbraked) (kg)	1500/750	1500/750
PERFORMANCE AND STEERING		
Peak power (kW)	150	150
Peak torque (Nm)	330	330
Max.speed (km/h)	100	100
Min.turning circle (m)	15.8	15.8
BATTERY AND CHARGING		
Battery energy (kWh)	77	88
WLTP Combined Range (km)**	187~287	211~334
WLTP City Range (km)**	290~402	364~480
Onboard charger (kW)***	11/22	11/22
5-100% AC charging-Onboard charger 3-phase tethered (hrs)***	8.5/4.5	9.3/5.2
High-powered DC charger (kW)***	78	90
10-80% DC charging (mins)***	51	51
WHEELS AND TYRES		
Wheels	16-inch alloy wheel	16-inch alloy wheel
Tyres	215/75R16	215/75R16

*It is the weight of a standard-specification base vehicle (different series will have different kerb masses) without the driver (75 kg), crew or cargo.

**Based on full charge. Estimated range & energy consumption using Worldwide Harmonised Light Vehicle Test Procedure (WLTP). Actual range & energy consumption varies with conditions such as temperature, using of air conditioner, driving mode and behaviours, route profile, vehicle maintenance, and battery age and condition.

***Charge power can decrease with increasing state of charge. Actual charge times and charge speeds can vary based on different factors (e.g. temperature, vehicle maintenance, battery age and condition, used charging infrastructure).